

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

			·		
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/824,526	04/15/2004	Kenji Ikeda	Q80776	6591	
23373 SUGHRUE MI	7590 07/18/200 ON PLIC	8	EXAMINER		
2100 PENNSYLVANIA AVENUE, N.W.			MARTIN, LAURA E		
SUITE 800 WASHINGTO			PAPER NUMBER		
	•		2853		
					
			MAIL DATE	DELIVERY MODE	
			07/18/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

·	Application No.	Applicant(s)	
	10/824,526	IKEDA ET AL.	
Office Action Summary	Examiner	Art Unit	
	LAURA E. MARTIN	2853	
The MAILING DATE of this communication ap	ppears on the cover sheet wi	th the correspondence address	
Period for Reply			
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perior Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC .136(a). In no event, however, may a red d will apply and will expire SIX (6) MON ate, cause the application to become AB	CATION. Exply be timely filed THS from the mailing date of this communication ANDONED (35 U.S.C. § 133).	
Status Status			-
1) Responsive to communication(s) filed on 27	March 2008		
<u> </u>	is action is non-final.		
3) Since this application is in condition for allow		ers, prosecution as to the merits is	s
closed in accordance with the practice under	·	•	
Disposition of Claims	, , ,		
4) Claim(s) <u>1-16</u> is/are pending in the applicatio			
4a) Of the above claim(s) is/are withdra	awn from consideration.	•	
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-16</u> is/are rejected.	•		
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/	or election requirement.	•	
Application Papers			
9) The specification is objected to by the Examir	ner.	•	
10) The drawing(s) filed on is/are: a) ac	cepted or b) objected to I	by the Examiner.	
Applicant may not request that any objection to the	e drawing(s) be held in abeyan	ce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the corre	ction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11)☐ The oath or declaration is objected to by the E	Examiner. Note the attached	Office Action or form PTO-152.	٠
Priority under 35 U.S.C. § 119		•	
12) Acknowledgment is made of a claim for foreig	n priority under 35 U.S.C. §	119(a)-(d) or (f).	
a) All b) Some * c) None of:	ata haya haan raasiyad		
1. Certified copies of the priority documer2. Certified copies of the priority documer		polication No	
3. Copies of the certified copies of the pri	•	·	
application from the International Burea	· ·	received in this National Stage	
* See the attached detailed Office action for a lis	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	received.	
Attachment(s)			
1) Motice of References Cited (PTO-892) Description Notice of Draftsperson's Patent Drawing Review (PTO-948)		ummary (PTO-413))/Mail Date	
3) Information Disclosure Statement(s) (PTO/SB/08)	5) 🔲 Notice of In	formal Patent Application	
Paper No(s)/Mail Date	6) 🔲 Other:	<u>_</u> .	

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/27/2008 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-4 and 6-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ichinose (US 2001/0028382 A1) in view of Takahashi (JP 2003-073598 A) and Nojima (US 2002/0045035 A1).

Ichinose discloses the following claim limitations:

As per claim 1: a recording medium comprising a support (figure 1, element 101) and a colorant receiving layer (figure 1, element 102) provided on the support, wherein the colorant receiving layer has a porous structure containing at least organic polymer

fine particles [0032], and measuring particle size of the polymer fine particles by a pore distribution curve by a nitrogen gas adsorption method [0034].

Ichinose does not disclose the following clam limitations:

As per claim 1: utilizing an ink composition comprising a colored fine particle dispersion containing at least one kind of hydrophobic dye, at least one kind of hydrophobic polymer and at least one kind of organic solvent having a high boiling point, wherein a void volume per unit thickness (A/B) of the colorant receiving layer calculated by dividing a void volume A (x 10⁻⁵ ml/cm²) of the colorant receiving layer at a void diameter equal to a particle size of the polymer fine particles, by a dry layer thickness B (gm) of the colorant receiving layer is 3.0 to 5.0 (x 10⁻⁵ ml/cm²/gm).

As per claim 2: the hydrophobic dye contains at least one kind of compound selected from the group consisting of compounds represented by the following general formula (I), compounds represented by the following general formula (II), compounds represented by the following general formula (Y-I), compounds represented by the following general formula (M-I) and compounds represented by the following general formula (C-I)

General formula (I)

$$Y - N = N$$

$$R^{1}$$

$$R^{3}$$

$$R^{2}$$

$$R^{3}$$

$$R^{2}$$

$$R^{3}$$

$$R^{2}$$

$$R^{3}$$

$$R^{2}$$

$$R^{3}$$

$$R^{4}$$

$$R^{3}$$

$$R^{3}$$

$$R^{4}$$

$$R^{3}$$

$$R^{4}$$

$$R^{3}$$

$$R^{4}$$

$$R^{3}$$

$$R^{4}$$

$$R^{2}$$

$$R^{4}$$

$$R^{3}$$

$$R^{4}$$

$$R^{2}$$

$$R^{4}$$

$$R^{3}$$

$$R^{4}$$

$$R^{2}$$

$$R^{4}$$

$$R^{4}$$

$$R^{3}$$

$$R^{4}$$

$$R^{4}$$

$$R^{4}$$

$$R^{2}$$

$$R^{4}$$

$$R^{4}$$

$$R^{4}$$

$$R^{5}$$

$$R^{4}$$

$$R^{4}$$

$$R^{5}$$

$$R^{$$

wherein, in General formula (I) and General formula (II), R¹, R², R³, and R⁴ each independently represent a hydrogen atom, halogen atom, aliphatic group, aromatic group, heterocyclic group, cyano group, hydroxy group, nitro group, amino group, alkylamino group, alkoxy group, aryloxy group, amide group, arylamino group, ureide group, sulfamoylamino group, alkylthio group, arylthio group, alkoxycarbonylamino group, sulfoneamide group, carbamoyl group, sulfamoyl group, sulfonyl group, alkoxycarbonyl group, heterocyclic oxy group, azo group, acyloxy group, carbamoyloxy group, silyloxy group, aryloxycarbonyl group, aryloxycarbonylamino group, imide group, heterocyclic thio group, sulfinyl group, phosphoryl group, acyl group, carboxyl group, or sulfo group: A represents --NR⁵R⁶ or a hydroxyl group: R⁵ and R⁶ each independently represent a hydrogen atom, aliphatic group, aromatic group or heterocyclic group; R⁵ and R⁶ may mutually bond to form a ring; B¹ represents =C(R³)- or =N-; B² represents -C(R⁴)= or -N=; and R¹ and R⁵, R³ and R⁶ may mutually bond to form an aromatic ring or heterocyclic ring, and/or R¹ and R² may mutually bond to form an aromatic ring or heterocyclic ring, General formula (Y-I)

A-N=N-B

wherein, in General formula (Y-I), A and B each independently represent an optionally substituted heterocyclic group,

$$A = N = N$$

$$R^{5}$$

$$R^{6}$$
General formula (M-1)

Wherein, in General formula (M-I), A represents a moiety of a 5-membered heterocyclic diazo component (A-NH₂); B¹ represents = CR¹- and B² represents -CR²=, or alternatively one of B¹ and B² represents a nitrogen atom and the other represents =CR¹- or -CR²=: R¹ and R⁶ each independently represent a hydrogen atom, aliphatic group, aromatic group, heterocyclic group, acyl group, alkoxycarbonyl group, aryloxycarbonyl group, carbamoyl group, alkylsulfonyl group, arylsulfonyl group or sulfamovl group, each of which may further have a substituent; G, R¹ and R² each independently represent a hydrogen atom, halogen atom, aliphatic group, aromatic group, heterocyclic group, cyano group, carboxyl group, carbamoyl group, alkoxycarbonyl group, aryloxycarbonyl group, acyl group, hydroxyl group, alkoxy group, aryloxy group, silyloxy group, acyloxy group, carbamoyloxyl group, heterocyclic oxy group, alkoxycarbonyloxy group, aryloxycarbonyloxy group, amino group substituted with an alkyl group, aryl group or heterocyclic group, acylamino group, ureide group, sulfamoylamino group, alkoxycarbonylamino group, aryloxycarbonylamino group, alkylarylsulfonylamino group, arylsulfonylamino group, aryloxycarbonylamino group, nitro group, alkylthio group, arylthio group, alkylsulfonyl group, arylsulfonyl group, alkylsulfinyl group, arylsulfinyl group, sulfamoyl group, sulfo group, or heterocyclic thio

group, each of which may further be substituted; and R1 and R⁵, or R⁵ and R⁶ may bond to form a 5 or 6-membered ring,

General formula (C-I)
$$(X^{4})_{b4}$$

$$(X^{3})_{b3}$$

$$(X^{3})_{b3}$$

$$(Y^{2})_{b2}$$

$$(X^{2})_{b3}$$

$$(X^{2})_{b3}$$

Wherein, in General formula (C-I) X¹, X², X³ and X⁴ each independently represent -SO-Z¹, -SO²-Z¹ or -SO²NR²¹R²²; Z¹ represents a substituted or unsubstituted alkyl group, substituted or unsubstituted alkenyl group, substituted or unsubstituted aralkyl group, substituted or unsubstituted aryl group, or substituted or unsubstituted heterocyclic group; R²¹ and R²² each independently represent a hydrogen atom, substituted or unsubstituted alkyl group, substituted or unsubstituted cycloalkyl group, substituted or unsubstituted alkenyl group, substituted or unsubstituted aryl group, or substituted or unsubstituted aralkyl group, substituted or unsubstituted aryl group, or substituted or unsubstituted heterocyclic group; Y¹, Y², Y³ and Y⁴ each independently represent a hydrogen atom, halogen atom, alkyl group, cycloalkyl group, alkenyl group, aralkyl group, aryl group, heterocyclic group, cyano group, hydroxyl group, nitro group, amino group, alkylamino group, alkoxy group, aryloxy group, amide group, arylamino

Application/Control Number: 10/824,526

Art Unit: 2869

group, ureide group, sulfamoylamino group, alkylthio group, arylthio group, alkoxycarbonylamino group, sulfoneamide group, carbamoyl group, sulfamoyl group, sulfonyl group, alkoxycarbonyl group, heterocyclic oxy group, azo group, acyloxy group, carbamoyloxyl group, silyloxy group, aryloxycarbonyl group, aryloxycarbonylamino group, imide group, heterocylic thio group, phosphoryl group, acyl group, carbonyl group, or sulfo group, each of which may further have a substituent; a¹ to a⁴ and b¹ to b⁴ represent the numbers of substituents X¹ to X⁴ and Y¹ to Y⁴, respectively; a¹ to a⁴ each independently represent an integer of 0 to 4; b¹ to b⁴ each independently represent an integer of 0 to 4; the sum of a¹ to a⁴ is 2 or more; when any one of a¹ to a⁴ and b¹ to b⁴ represent an integer of 2 or more, a corresponding plurality of any one X1 to X4 and Y1 to Y⁴ may be the same or different; a.sup.1 and b.sup.1 each independently represent an integer of 0 to 4 satisfying the relation of a¹+b¹=4; a² and b² each independently represent an integer of 0 to 4 satisfying the relation of $a^2 + b^2 = 4$; a^3 and b^3 each independently represent an integer of 0 to 4 satisfying the relation of a³ + b³ =4; a⁴ and b⁴ each independently represent an integer of 0 to 4 satisfying the relation of a a⁴ + b⁴ =4; and M represents a hydrogen atom, metal element or its oxide, hydroxide, or halide.

As per claim 3: the organic solvent having a high boiling point is an organic solvent having a water solubility of 4 g or less.

As per claim 4: the void volume A of the colorant receiving layer at the same void diameter as the particle size of the polymer fine particles is 50(x 10⁻⁵ ml/cm²).

As per claims 6-10: the porous structure of the colorant receiving layer is formed of secondary particles of the polymer fine particles.

Application/Control Number: 10/824,526

Art Unit: 2853

Takahashi et al. disclose the following claim limitations:

As per claim 1: a colored fine particle dispersion containing at least one kind of hydrophobic dye, at least one kind of hydrophobic polymer and at least one kind of organic solvent having a high boiling point [0009],

Page 8

As per claim 2: the hydrophobic dye contains at least one kind of compound selected from the group consisting of compounds represented by the following general formula (I), compounds represented by the following general formula (II), compounds represented by the following general formula (Y-I), compounds represented by the following general formula (M-I) and compounds represented by the following general formula (C-I) [0010]

General formula (I)

$$Y-N=N$$

$$R^{2}$$

$$R^{3}$$

$$R^{3}$$
General formula (II)
$$X=N$$

$$B^{2}=B^{1}$$

wherein, in General formula (I) and General formula (II), R¹, R², R³, and R⁴ each independently represent a hydrogen atom, halogen atom, aliphatic group, aromatic group, heterocyclic group, cyano group, hydroxy group, nitro group, amino group, alkylamino group, alkoxy group, aryloxy group, amide group, arylamino group, ureide group, sulfamoylamino group, alkylthio group, arylthio group, alkoxycarbonylamino group, sulfoneamide group, carbamoyl group, sulfamoyl group, sulfonyl group,

alkoxycarbonyl group, heterocyclic oxy group, azo group, acyloxy group, carbamoyloxy group, silyloxy group, aryloxycarbonyl group, aryloxycarbonylamino group, imide group, heterocyclic thio group, sulfinyl group, phosphoryl group, acyl group, carboxyl group, or sulfo group; A represents --NR 5 R 6 or a hydroxyl group; R 5 and R 6 each independently represent a hydrogen atom, aliphatic group, aromatic group or heterocyclic group; R 5 and R 6 may mutually bond to form a ring; B 1 represents =C(R 3)- or =N-; B 2 represents - C(R 4)= or -N=; and R 1 and R 5 , R 3 and R 6 may mutually bond to form an aromatic ring or heterocyclic ring, and/or R 1 and R 2 may mutually bond to form an aromatic ring or heterocyclic ring, General formula (Y-I)

A-N=N-B

wherein, in General formula (Y-I), A and B each independently represent an optionally substituted heterocyclic group,

$$A - N = N$$

$$G$$

$$G$$

$$R^{5}$$

$$R^{6}$$

$$R^{6}$$

$$R^{6}$$

Wherein, in General formula (M-I), A represents a moiety of a 5-membered heterocyclic diazo component (A-NH₂); B¹ represents = CR¹- and B² represents -CR²=, or alternatively one of B¹ and B² represents a nitrogen atom and the other represents =CR¹- or -CR²=; R¹ and R⁶ each independently represent a hydrogen atom, aliphatic group, aromatic group, heterocyclic group, acyl group, alkoxycarbonyl group, aryloxycarbonyl group, carbamoyl group, alkylsulfonyl group, arylsulfonyl group or

sulfamoyl group, each of which may further have a substituent; G, R¹ and R² each independently represent a hydrogen atom, halogen atom, aliphatic group, aromatic group, heterocyclic group, cyano group, carboxyl group, carbamoyl group, alkoxy group, alkoxycarbonyl group, aryloxycarbonyl group, acyl group, hydroxyl group, alkoxy group, aryloxy group, silyloxy group, acyloxy group, carbamoyloxyl group, heterocyclic oxy group, alkoxycarbonyloxy group, aryloxycarbonyloxy group, amino group substituted with an alkyl group, aryl group or heterocyclic group, acylamino group, ureide group, sulfamoylamino group, alkoxycarbonylamino group, aryloxycarbonylamino group, alkylarylsulfonylamino group, arylsulfonylamino group, arylsulfonyl group, arylsulfonyl group, alkylsulfonyl group, arylsulfonyl group, alkylsulfinyl group, arylsulfinyl group, sulfamoyl group, sulfo group, or heterocyclic thio group, each of which may further be substituted; and R1 and R⁵, or R⁵ and R⁶ may bond to form a 5 or 6-membered ring,

(
$$X^{3}$$
)_{b3}

$$(X^{3})_{b3}$$

$$(X^{3})_{b3}$$

$$(X^{2})_{b2}$$

$$(X^{2})_{b2}$$

$$(X^{2})_{b2}$$

$$(X^{2})_{b2}$$

$$(X^{2})_{b2}$$

Wherein, in General formula (C-I) X¹, X², X³ and X⁴ each independently represent -SO-Z¹, -SO²-Z¹ or -SO²NR²¹R²²; Z¹ represents a substituted or unsubstituted alkyl group, substituted or unsubstituted cycloalkyl group, substituted or unsubstituted alkenyl group, substituted or unsubstituted aralkyl group, substituted or unsubstituted aryl group, or substituted or unsubstituted heterocyclic group; R²¹ and R²² each independently represent a hydrogen atom, substituted or unsubstituted alkyl group, substituted or unsubstituted cycloalkyl group, substituted or unsubstituted alkenyl group, substituted or unsubstituted aralkyl group, substituted or unsubstituted aryl group, or substituted or unsubstituted heterocyclic group; Y1, Y2, Y3 and Y4 each independently represent a hydrogen atom, halogen atom, alkyl group, cycloalkyl group, alkenyl group, aralkyl group, aryl group, heterocyclic group, cyano group, hydroxyl group, nitro group, amino group, alkylamino group, alkoxy group, aryloxy group, amide group, arylamino group, ureide group, sulfamoylamino group, alkylthio group, arylthio group, alkoxycarbonylamino group, sulfoneamide group, carbamoyl group, sulfamoyl group, sulfonyl group, alkoxycarbonyl group, heterocyclic oxy group, azo group, acyloxy group, carbamoyloxyl group, silyloxy group, aryloxycarbonyl group, aryloxycarbonylamino group, imide group, heterocylic thio group, phosphoryl group, acyl group, carbonyl group, or sulfo group, each of which may further have a substituent; a¹ to a⁴ and b¹ to b⁴ represent the numbers of substituents X¹ to X⁴ and Y¹ to Y⁴, respectively; a¹ to a⁴ each independently represent an integer of 0 to 4; b1 to b4 each independently represent an integer of 0 to 4; the sum of a¹ to a⁴ is 2 or more; when any one of a¹ to a⁴ and b¹ to b⁴ represent an integer of 2 or more, a corresponding plurality of any one X¹ to X⁴ and Y¹ to

Y⁴ may be the same or different; a.sup.1 and b.sup.1 each independently represent an integer of 0 to 4 satisfying the relation of $a^1+b^1=4$; a^2 and b^2 each independently represent an integer of 0 to 4 satisfying the relation of $a^2+b^2=4$; a^3 and b^3 each independently represent an integer of 0 to 4 satisfying the relation of $a^3+b^3=4$; a^4 and b^4 each independently represent an integer of 0 to 4 satisfying the relation of a $a^4+b^4=4$; and M represents a hydrogen atom, metal element or its oxide, hydroxide, or halide [0011-0017].

As per claim 3: the organic solvent having a high boiling point is an organic solvent having a water solubility of 4 g or less [0009].

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the method taught by Ichinose with the disclosure of Takahasi et al. in order to create a high quality image using ink and medium.

Nojima et al. disclose the following claim limitations:

As per claim 1: a porous structure containing at least organic polymer fine particles (column 22, lines 1-10) and the void volume per unit thickness is 3.0 to 5.0 (x 10⁻⁵ ml/cm²/micrometers) or more (column 12, lines 1-7 - dry thickness is 10 micrometers and void volume is 5 ml/m² - void volume per unit thickness is 5.0 (x 10⁻⁵ ml/cm²/micrometers)).

As per claim 4: the void volume A of the colorant receiving layer at the same void diameter as the particle size of the polymer fine particles is 50(x 10⁻⁵ ml/cm²) [0119].

As per claims 6-10: the porous structure of the colorant receiving layer is formed of secondary particles of the polymer fine particles [0086].

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the method taught by Ichinose with the disclosure of Nojima et al. in order to provide high ink absorption and a high surface smoothness.

Claims 5 and 11-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ichiniose (US 2001/0028382 A1), Takahashi (JP 2003-073598 A) and Nojima et al. (US 2002/0045035 A1), and further in view of Yoshino et al. (US 5955185 A).

Ichinose as modified disclose the following claim limitations:

The method of claim 1.

Ichinose as modified do not disclose the following claim limitations:

As per claim 5: an ink jet recording method, wherein a ratio [(Y/X)x100] of a void diameter Y (nm) corresponding to a maximum peak of the void volume of the colorant receiving layer obtained from a pore distribution curve by a nitrogen gas adsorption method, to the particle size X (nm) of the polymer fine particles is 65% or more.

As per claims 11-15: an ink jet recording method according to claim 6, wherein a void diameter Y corresponding to a maximum peak of a void volume formed by the secondary particles of polymer fine particles of the colorant receiving layer obtained from a pore distribution curve by a nitrogen gas adsorption method is 33 nm or more.

Yoshino et al. disclose the following claim limitations:

As per claim 5: an ink jet recording method, wherein a ratio [(Y/X)x100] of a void diameter Y (nm) corresponding to a maximum peak of the void volume of the colorant receiving layer obtained from a pore distribution curve by a nitrogen gas adsorption method, to the particle size X (nm) of the polymer fine particles is 65% or more (column 8, lines 29-35).

As per claims 11-15: an ink jet recording method according to claim 6, wherein a void diameter Y corresponding to a maximum peak of a void volume formed by the secondary particles of polymer fine particles of the colorant receiving layer obtained from a pore distribution curve by a nitrogen gas adsorption method is 33 nm or more (column 7, lines 40-45).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the method taught by Ichinose as modified with the disclosure of Yoshino et al. in order to produce higher resolution and the capability of printing in a full-color mode on a higher quality print media.

Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ichinose (US 2001/0028382 A1), Takahashi (JP 2003-073598 A) and Nojima et al. (US 2002/0045035 A1), and further in view of Terase et al. (US 2002/0174805A).

Ichinose as modified disclose the following claim limitations:

The method of claim 1.

Ichinose as modified do not disclose the following claim limitations:

As per claim 16: the organic polymer fine particles are a copolymer of a vinyl monomer, an ester-based polymer, a urethane based polymer, an amide based polymer, an epoxy based polymer, or modified materials or copolymers thereof.

Terase et al. disclose the following claim limitations:

As per claim 16: the organic polymer fine particles are a copolymer of a vinyl monomer, an ester-based polymer, a urethane based polymer, an amide based polymer, an epoxy based polymer, or modified materials or copolymers thereof [0058].

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Ichinose as modified with Terase et al. in order to provide a stronger image that can be printed on a wider variety of locations. It is well known in the art to use different materials in medium compositions to provide different image quality levels.

Response to Arguments

Applicant's arguments with respect to claims 1-16 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAURA E. MARTIN whose telephone number is (571)272-2160. The examiner can normally be reached on Monday - Friday, 7:00 - 3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen D. Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/L. E. M./

/Laura E. Martin/

/Manish S. Shah/ Primary Examiner, Art Unit 2853